

## SAFETY DATA SHEET

[info@deffner-johann.de](mailto:info@deffner-johann.de) | +49 (0)9723 9350-0

Die in diesem Produktdatenblatt genannten Spezifikationen dienen nur zur Produktbeschreibung und beziehen sich auf den Zeitpunkt unmittelbar nach der Produktion bzw. Import des Produktes. Sie entsprechen den Angaben des Herstellers. Eine rechtsverbindliche Zusicherung bestimmter Eigenschaften oder der Eignung für einen bestimmten Einsatzzweck kann hieraus nicht abgeleitet werden. Durch unsachgemäßen Transport und / oder unsachgemäße Lagerung können sich Änderungen ergeben. Die Angaben in diesem Produktdatenblatt entbinden den Verarbeiter nicht von eigener Prüfung der Eigenschaften des Produktes und dessen Eignung für die vorgesehene Verwendung.

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : **Lascaux Hydro-Sealer (2001)**  
Revision date : 11.01.2016  
Print date : 01.02.2016

Version (Revision) : 2.0.0 (1.0.0)

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Lascaux Hydro-Sealer (2001)

**1.2 Relevant identified uses of the substance or mixture and uses advised against**  
**Relevant identified uses**

Water based sealer

**1.3 Details of the supplier of the safety data sheet**

**Supplier (manufacturer/importer/only representative/downstream user/distributor)**

Lascaux Colours & Restauro  
Barbara Diethelm AG

**Street :** Zürichstrasse 42

**Postal code/city :** 8306 Brüttisellen

**Telephone :** +41 44 807 41 41

**Telefax :** +41 44 807 41 40

**Information contact :** techsupport@lascaux.ch

**1.4 Emergency telephone number**

Tox Info Suisse  
24-h-emergency number 145  
Tel. +41 44 251 51 51 (international)

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2A ; Causes serious eye irritation.

**2.2 Label elements**

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

**Hazard pictograms**



Exclamation mark (GHS07)

**Signal word**

Warning

**Hazard statements**

H319 Causes serious eye irritation.

**Precautionary statements**

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P337+P313 If eye irritation persists: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Special rules for supplemental label elements for certain mixtures**

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : **Lascaux Hydro-Sealer (2001)**  
Revision date : 11.01.2016  
Print date : 01.02.2016

Version (Revision) : 2.0.0 (1.0.0)

EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE ; A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1). May produce an allergic reaction.

## 2.3 Other hazards

None

## SECTION 3: Composition / information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

SODIUM DODECYL SULPHATE ; EC No. : 205-788-1; CAS No. : 151-21-3

Weight fraction :  $\geq 1 - < 3 \%$

Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Skin Irrit. 2 ; H315 Aquatic Chronic 3 ; H412

A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9

Weight fraction :  $\geq 0,00015 - < 0,0015 \%$

Classification 1272/2008 [CLP] : Acute Tox. 3 ; H301 Acute Tox. 3 ; H311 Acute Tox. 3 ; H331 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Skin Sens. 1 ; H317 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410

#### Additional information

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

#### Following inhalation

Take the casualty into the fresh air and keep warm. Keep at rest. Irregular breathing/no breathing: artificial respiration. Unconsciousness: lateral position - call a physician.

#### In case of skin contact

Wash away with soap and water and rinse. Do NOT use solvents or thinners.

#### After eye contact

Remove contact lenses, keep eyelids open. Flush with plenty of water (10 - 15 min.). Call a physician.

#### After ingestion

Contact a doctor immediately. Keep at rest. Do not induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

None

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Alcohol resistant foam, CO<sub>2</sub>, powders, water spray.

#### Unsuitable extinguishing media

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : **Lascaux Hydro-Sealer (2001)**  
Revision date : 11.01.2016  
Print date : 01.02.2016

Version (Revision) : 2.0.0 (1.0.0)

Waterjet.

**5.2 Special hazards arising from the substance or mixture**

Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

**5.3 Advice for firefighters**

**Special protective equipment for firefighters**

Appropriate breathing apparatus may be required.

**5.4 Additional information**

Do not allow the quenching water into the sewage system.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Keep away from ignition sources and provide for good ventilation. Refer to protective measures listed in sections 7 and 8.

**6.2 Environmental precautions**

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

**6.3 Methods and material for containment and cleaning up**

**For cleaning up**

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent; avoid use of solvents.

**6.4 Reference to other sections**

None

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Do not eat or drink during work - no smoking. Comply with the health and safety at work laws. For personal protection see Section 8.

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

No particular measures required.

**Hints on joint storage**

Keep away from oxidizing agents, from strongly alkaline and strongly acid materials.

**Storage class ( D ) : 12**

**Storage class (TRGS 510) ( D ) : 12**

**Further information on storage conditions**

Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight. Keep containers dry and cool. Comply with the health and safety at work laws.

**7.3 Specific end use(s)**

None

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

None

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : **Lascaux Hydro-Sealer (2001)**  
Revision date : 11.01.2016  
Print date : 01.02.2016

Version (Revision) : 2.0.0 (1.0.0)

## 8.2 Exposure controls

### Personal protection equipment

#### Eye/face protection

Wear protective glasses in case of splashes.

#### Skin protection

##### Body protection

After skin contact wash thoroughly with soap and water or use recognised skin cleanser. Do Not use solvents or thinners.

#### Respiratory protection

If workplace limits are exceeded, a gas mask approved for this purpose must be worn.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state : Liquid.

Colour : Milky.

#### Odour

Poor, characteristic.

#### Safety relevant basis data

Initial boiling point and boiling range :	( 1013 hPa )	ca.	100 °C
Flash point :			not applicable
Vapour pressure :	( 50 °C )	ca.	120 hPa
Density :	( 20 °C )	ca.	1.0 g/cm <sup>3</sup>
pH :		ca.	8 - 8,5
Viscosity :	( 20 °C )	ca.	20 - 50 mPa.s

### 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No information available.

### 10.2 Chemical stability

No information available.

### 10.3 Possibility of hazardous reactions

No information available.

### 10.4 Conditions to avoid

Stable under recommended storage and handling conditions(See section 7).

### 10.5 Incompatible materials

No information available.

### 10.6 Hazardous decomposition products

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

## SECTION 11: Toxicological information

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : **Lascaux Hydro-Sealer (2001)**  
Revision date : 11.01.2016  
Print date : 01.02.2016

Version (Revision) : 2.0.0 (1.0.0)

**11.1 Information on toxicological effects**

No information available.

**SECTION 12: Ecological information**

**12.1 Toxicity**

No information available.

**12.2 Persistence and degradability**

No information available.

**12.3 Bioaccumulative potential**

No information available.

**12.4 Mobility in soil**

No information available.

**12.5 Results of PBT and vPvB assessment**

No information available.

**12.6 Other adverse effects**

No information available.

**12.7 Additional ecotoxicological information**

There are no data available on the product itself. Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations**

Contaminated packaging must be emptied of all residues and, following appropriate cleaning, may be sent to a recycling plant. Uncleaned packaging must be disposed of in the same manner as the medium.

**13.1 Waste treatment methods**

**Product/Packaging disposal**

**Waste codes/waste designations according to EWC/AVV**

08 01 11: waste paint and varnish containing organic solvents or other dangerous substances.

**SECTION 14: Transport information**

**14.1 UN number**

No dangerous goods in sense of this transport regulation.

**14.2 UN proper shipping name**

No dangerous goods in sense of this transport regulation.

**14.3 Transport hazard class(es)**

No dangerous goods in sense of this transport regulation.

**14.4 Packing group**

No dangerous goods in sense of this transport regulation.

**14.5 Environmental hazards**

No dangerous goods in sense of this transport regulation.

**14.6 Special precautions for user**

None

**SECTION 15: Regulatory information**

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : **Lascaux Hydro-Sealer (2001)**  
Revision date : 11.01.2016  
Print date : 01.02.2016

Version (Revision) : 2.0.0 (1.0.0)

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**National regulations**

U.S.A. Conforms to ASTM D-4236.

**Technische Anleitung Luft (TA-Luft) ( D ) :**

Weight fraction (Number 5.2.5. I) : < 5 %

**Water hazard class (WGK)**

Class ( D ) : 1 (Slightly hazardous to water) Classification according to VwVwS

**15.2 Chemical Safety Assessment**

No information available.

**SECTION 16: Other information**

**16.1 Indication of changes**

None

**16.2 Abbreviations and acronyms**

None

**16.3 Key literature references and sources for data**

None

**16.4 Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]**

No information available.

**16.5 Relevant H- and EUH-phrases (Number and full text)**

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**16.6 Training advice**

None

**16.7 Additional information**

The details in this material safety data sheet satisfy national and EC legislation. We have no knowledge or control over the user's working conditions however. The product may not be used for any purpose other than that specified in chapter 1 unless written consent has been obtained. The user is responsible for the observance of all required statutory provisions.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Lascaux Hydro-Sealer (2001)  
**Revision date :** 11.01.2016  
**Print date :** 01.02.2016

**Version (Revision) :** 2.0.0 (1.0.0)

---