

info@deffner-johann.de | +49 9723 9350-0

Die in diesem Produktdatenblatt genannten Spezifikationen dienen nur zur Produktbeschreibung und beziehen sich auf den Zeitpunkt unmittelbar nach der Produktion bzw. Import des Produktes. Sie entsprechen den Angaben des Herstellers. Eine rechtsverbindliche Zusicherung bestimmter Eigenschaften oder der Eignung für einen bestimmten Einsatzzweck kann hieraus nicht abgeleitet werden. Durch unsachgemäßen Transport und / oder unsachgemäße Lagerung können sich Änderungen ergeben. Die Angaben in diesem Produktdatenblatt entbinden den Verarbeiter nicht von eigener Prüfung der Eigenschaften des Produktes und dessen Eignung für die vorgesehene Verwendung.

This safety datasheet complies with the requirements of Regulation (EC) No. 830/2015

# **Acrylic Dispersion B 500**

Version Revision Date: Date of last issue: 10.12.2018
1.8 Date of first issue: 24.05.2017

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Acrylic Dispersion B 500

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Raw material Industrial use

1.3 Details of the supplier of the safety data sheet

Company : Deffner & Johann GmbH

Mühläckerstr. 13 97520 Röthlein

Telephone : +441469573361

E-mail address of person responsible for the SDS

info@deffner-johann.de

1.4 Emergency telephone number

Emergency telephone number(Mo-Fr-, 08:00-15:00) +49 09723 9350-0

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008.

#### **Additional Labelling**

EUH208 Contains 1,2-Benzisothiazol-3(2H)-one. May produce an allergic reaction.

## 2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

This safety datasheet complies with the requirements of Regulation (EC) No. 830/2015

**Acrylic Dispersion B 500** 

Version Revision Date: Date of last issue: 10.12.2018
1.8 Date of first issue: 24.05.2017

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

Chemical nature : Polymer

aqueous dispersion

**Hazardous components** 

Remarks : No dangerous ingredients according to Regulation (EC) No.

1907/2006

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : Get medical attention if symptoms occur.

Show this safety data sheet to the doctor in attendance.

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

In case of skin contact : Wash off immediately with soap and plenty of water.

Remove contaminated clothing. If irritation develops, get med-

ical attention.

Wash contaminated clothing before reuse.

In case of eye contact : Hold eyelids apart and flush eyes with plenty of water for at

least 15 minutes. Get medical attention.

If swallowed : If accidentally swallowed obtain immediate medical attention.

Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Ingestion may cause gastrointestinal irritation, nausea, vomit-

ing and diarrhoea.

Repeated or prolonged exposure may cause irritation of eyes

and skin.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

This safety datasheet complies with the requirements of Regulation (EC) No. 830/2015

**Acrylic Dispersion B 500** 

Version Revision Date: Date of last issue: 10.12.2018
1.8 Date of first issue: 24.05.2017

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Not combustible.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

No information available.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

The pressure in sealed containers can increase under the

influence of heat.

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Use personal protective equipment.

Further information : The product itself does not burn.

Prevent fire extinguishing water from contaminating surface

water or the ground water system.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : The product should not be allowed to enter drains, water

courses or the soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Prevent further leakage or spillage if safe to do so.

Large spills should be collected mechanically (remove by

pumping) for disposal.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Pick up and transfer to properly labelled containers.

This safety datasheet complies with the requirements of Regulation (EC) No. 830/2015

# **Acrylic Dispersion B 500**

Version Revision Date:
Date of last issue: 10.12.2018
1.8 Date of first issue: 24.05.2017

Clean contaminated floors and objects thoroughly while ob-

serving environmental regulations.

Dispose of in accordance with local regulations.

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Wear personal protective equipment.

For personal protection see section 8.

Avoid inhalation, ingestion and contact with skin and eyes.

Do not use in areas without adequate ventilation.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Hygiene measures : Wash hands before breaks and immediately after handling the

product.

When using do not eat, drink or smoke.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container.

Keep in properly labelled containers.

Store between 5 and 35  $^{\circ}$ C in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

Do not freeze.

## 7.3 Specific end use(s)

Specific use(s) : Consult the technical guidelines for the use of this sub-

stance/mixture.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Components with workplace control parameters, below limit for consideration

This safety datasheet complies with the requirements of Regulation (EC) No. 830/2015

# **Acrylic Dispersion B 500**

Version Revision Date: Date of last issue: 10.12.2018
1.8 Date of first issue: 24.05.2017

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name            | End Use   | Exposure routes | Potential health effects      | Value      |
|---------------------------|-----------|-----------------|-------------------------------|------------|
| Ammonia, aqueous solution | Workers   | Skin contact    | Short term, Systemic toxicity | 68 mg/kg   |
|                           | Workers   | Inhalation      | Short term, Systemic toxicity | 47.6 mg/m3 |
|                           | Workers   | Inhalation      | Short term, Local effects     | 36 mg/m3   |
|                           | Workers   | Skin contact    | Long term, Systemic toxicity  | 68 mg/kg   |
|                           | Workers   | Inhalation      | Long term, Systemic toxicity  | 47.6 mg/m3 |
|                           | Workers   | Inhalation      | Long term, Local effects      | 14 mg/m3   |
|                           | Consumers | Skin contact    | Short term, Systemic toxicity | 68 mg/kg   |
|                           | Consumers | Inhalation      | Short term, Systemic toxicity | 23.8 mg/m3 |
|                           | Consumers | Ingestion       | Short term, Systemic toxicity | 6.8 mg/kg  |
|                           | Consumers | Inhalation      | Short term, Local effects     | 7.2 mg/m3  |
|                           | Consumers | Skin contact    | Long term, Systemic toxicity  | 68 mg/kg   |
|                           | Consumers | Inhalation      | Long term, Systemic toxicity  | 23.8 mg/m3 |
|                           | Consumers | Ingestion       | Long term, Systemic toxicity  | 6.8 mg/kg  |
|                           | Consumers | Inhalation      | Long term, Local effects      | 2.8 mg/m3  |

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name            | Environmental Compartment | Value       |
|---------------------------|---------------------------|-------------|
| Ammonia, aqueous solution | Fresh water               | 0.0011 mg/l |
|                           | Marine water              | 0.0011 mg/l |
|                           | Intermittent use/release  | 0.0068 mg/l |

#### 8.2 Exposure controls

## **Engineering measures**

Use adequate ventilation and/or engineering controls in high temperature processing to prevent exposure to vapours.

Ensure adequate ventilation, especially in confined areas.

## Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.1 - 0.4 mm

This safety datasheet complies with the requirements of Regulation (EC) No. 830/2015

**Acrylic Dispersion B 500** 

Version Revision Date: Date of last issue: 10.12.2018
1.8 Date of first issue: 24.05.2017

Remarks : Protective gloves complying with EN 374. Gloves should be

discarded and replaced if there is any indication of degrada-

tion or chemical breakthrough.

Skin and body protection : not required under normal use

Skin should be washed after contact.

Remove and wash contaminated clothing before re-use.

Respiratory protection : not required under normal use

Protective measures : Ensure that eye flushing systems and safety showers are

located close to the working place.

## **Environmental exposure controls**

General advice:

The product should not be allowed to enter drains, water courses or the soil.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance : liquid, aqueous dispersion

Colour : white

Odour : ester-like

Odour Threshold : not determined

pH : 9.5 - 10 (20 °C)

Melting point/freezing point : not determined

Boiling point : not determined

Flash point : Not applicable

Evaporation rate : not determined

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit : Not applicable

Lower explosion limit : Not applicable

Vapour pressure : ca. 23 hPa (at 20 °C)

Relative vapour density : not determined

This safety datasheet complies with the requirements of Regulation (EC) No. 830/2015

**Acrylic Dispersion B 500** 

Version Revision Date: Date of last issue: 10.12.2018
1.8 Date of first issue: 24.05.2017

Relative density : ca. 1.07

Solubility(ies)

Water solubility : insoluble, completely miscible, in all proportions

Partition coefficient: n-

octanol/water

not determined

Auto-ignition temperature : Not applicable

Decomposition temperature : not determined

Viscosity

Viscosity, dynamic : 1,100 - 4,500 mPa s (20 °C)

Explosive properties : Not applicable

Oxidizing properties : Not applicable

9.2 Other information

: No information available.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : None known.

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

## **Acute toxicity**

## **Product:**

This safety datasheet complies with the requirements of Regulation (EC) No. 830/2015

**Acrylic Dispersion B 500** 

Version Revision Date: Date of last issue: 10.12.2018
1.8 Date of first issue: 24.05.2017

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

#### **Further information**

#### **Product:**

Remarks: No data is available on the product itself.

Information given is based on data on the components and the toxicology of similar

products.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: Taking into consideration the properties of several

components, the product is estimated not to be readily biode-

gradable according to OECD classification.

Physico-chemical removabil- : 98 %

ity

Method: OECD Test Guideline 302

Remarks: The product can be eliminated from water by abiotic

processes, e.g. adsorption on activated sludge.

#### 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

## 12.4 Mobility in soil

**Product:** 

Distribution among environ-

mental compartments

: Remarks: No data available

## 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This mixture contains no substance considered to be persis-

tent, bioaccumulating and toxic (PBT)...

: This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB)..

#### 12.6 Other adverse effects

## **Product:**

This safety datasheet complies with the requirements of Regulation (EC) No. 830/2015

# **Acrylic Dispersion B 500**

Version Revision Date: Date of last issue: 10.12.2018
1.8 Date of first issue: 24.05.2017

Additional ecological infor-

mation

: This product has no known ecotoxicological effects.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : In accordance with local and national regulations.

The product should not be allowed to enter drains, water

courses or the soil.

Waste water from subsequent processing should be given

appropriate treatment in line with local regulations.

Contaminated packaging : In accordance with local and national regulations.

## **SECTION 14: Transport information**

#### 14.1 UN number

Not dangerous goods

#### 14.2 UN proper shipping name

Not dangerous goods

## 14.3 Transport hazard class(es)

Not dangerous goods

## 14.4 Packing group

Not dangerous goods

#### 14.5 Environmental hazards

Not dangerous goods

#### 14.6 Special precautions for user

Remarks : Not dangerous goods in the meaning of ADR/RID, ADN,

IMDG-Code, ICAO/IATA-DGR

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations:

Other regulations

not determined

This safety datasheet complies with the requirements of Regulation (EC) No. 830/2015

# **Acrylic Dispersion B 500**

Version Revision Date: Date of last issue: 10.12.2018
1.8 Date of first issue: 24.05.2017

#### 15.2 Chemical safety assessment

Not applicable

#### **SECTION 16: Other information**

## Full text of other abbreviations

## **Further information**

Other information : This safety datasheet complies with the requirements of

Regulation (EC) No. 1907/2006.

Classification procedure: Calculation method

This data sheet contains changes from the previous version in

section(s):

8. Exposure controls/personal protection

Sources of key data used to

compile the Safety Data

Sheet

Information taken from reference works and the literature.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: AICS - Australian Inventory of Chemical Substances: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not

This safety datasheet complies with the requirements of Regulation (EC) No. 830/2015

# **Acrylic Dispersion B 500**

Version Revision Date:
Date of last issue: 10.12.2018
1.8 Date of first issue: 24.05.2017

Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

GB / EN